



地址:中国广东省广州市天河区珠江新城花城大道66号B座 邮编Postcode: 510623

Add.: Tower B, No.66 Huacheng Avenue, Zhujiang Xincheng, Tianhe District, Guangzhou, Guangdong, P.R.C.

邮箱Email: ppdc@iqtcnet.cn 网址Website: https://www.iqtcnet.cn 01112200000088-1(E)

Date: 2022-01-11 of 6 Page:





货物运输条件鉴定书

Certification for Safe Transport of Goods

第九类危险品

Dangerous Goods Class 9

锂离子电池 样品名称

Sample Name: Li-ion Battery

湖北亿纬动力有限公司 委托单位:

Applicant: EVE POWER CO., LTD



41MZSQFAV4



GUANGZHOU CUSTOMS DISTRICT TECHNOLOGY CENTER

本报告。Without written permission of IQTC ,this report shall not be quoted or reproduced except in full. 不具有对社会证明作用。The report is not legally binding and could only be used as internal reference material for the applicant. It shall not be provided as a notarial certification.





地址:中国广东省广州市天河区珠江新城花城大道66号B座

邮编Postcode: 510623

01112200000088-1(E) No:

Add.: Tower B, No.66 Huacheng Avenue, Zhujiang Xincheng, Tianhe District, Guangzhou, Guangdong, P.R.C. Date: 2022-01-11 电话Tel: 020-22131000 邮箱Email: ppdc@iqtcnet.cn 网址Website: https://www.iqtcnet.cn

of 6

货物运输条件鉴定书

Certification for Safe Transport of Goods

and Procedure IMO International Maritime Dangerous Goods Code (40-20 Edition) 样品外观 Sample Appearance 蓝色方形外壳 Blue square shell 包装件信息 Package Information 电池数量 6 个 Quantity 6 PCS 重量 Weight Size 173.7mm(W)*207.2mm(H)*71.7mm(Code in the control of the code in the code		Certification	for Safe Transpor	l of Goods	
Model 委托单位 Applicant EVE POWER CO., LTD. 建产单位 Manufacture 检查方法、程序 Inspection Method and Procedure 样品外观 Sample Appearance 包裳件信息 Package Information 电池 序号 信息 No. Battery Information 1			Olicies at	STHO SIN	4
EVE POWER CO., LTD. 生产单位 Manufacturer 检查方法、程序 Inspection Method and Procedure 样品外观 Sample Appearance 型装件信息 Package Information 电池 序号 No. Battery Information I 危险性识别(Hazards identification): 第9类杂项危险物质/class or division is 9. 2. 按照《国际海运危险货物规则》办理类项(Suggestion according to IMDG CODE) 按危险货物条件办理。According to the conditions of Dangerous cargo handled. 基定结论 Identification conclusion EVE POWER CO., LTD. 湖北亿纬动力有限公司 EVE POWER CO., LTD. Walthout All Power Land Wathhout Rating Dy J., All Power Land Martitime Dangerous Goods Code (40-20 Edition) 173.7mm(W)*207.2mm(H)*71.7mm(C)		LF304	3The Co.	ART (34 CEIMI. HMOLO
Manufacturer 检查方法、程序 Inspection Method and Procedure 样品外現 Sample Appearance 包装件信息 Package Information 电池 序号 信息 No. Type Model Watt-hour Rating Placement Battery Information 1 程高子电池 Lithium ion batteries 日本院性识别(Hazards identification):第9类杂项危险物质/class or division is 9。 2. 按照《国际海运危险货物规则》,外理类项(Suggestion according to IMDG CODE) 按危险货物条件办理。According to the conditions of Dangerous cargo handled. ※定结论 Identification conclusion EVE POWER CO., LTD. (国际海运危险货物规则》(40-20 版) IMO International Maritime Dangerous Goods Code (40-20 Edition) 並一次 (国际海运危险货物规则) 第3.880kg 尺寸 Size 173.7mm(W)*207.2mm(H)*71.7mm(C)** 型号		(-)	MER	CY CELT CHADLO	ald the
Inspection Method and Procedure 样品外观 Sample Appearance 包装件信息 Oackage Information 电池 序号 信息 No. Type Model Watt-hour Rating Placement Information I 信息 No. Lithium ion batteries 1 危险性识别(Hazards identification): 第 9 类杂项危险物质/ class or division is 9。 2. 按照《国际海廷危险货物条件办理。According to the conditions of Dangerous cargo handled. 鉴定结论 Identification conclusion E 定转	Manufacturer	787	SCY CEE, CHMON	2 Rest Tele	NEDISTR CUÉ
Blue square shell 包装件信息 Package Information 电池 序号 类型 型号 额定瓦时值 放置方式 Placement Battery Information 1	Inspection Method			ode (40-20 Edition)	Or MCTHON
Package Information			TONED	AMETH	GN,
信息 No. Type Model Watt-hour Rating Placement 理离子电池 Lithium ion batteries LF304 972.8Wh Rattery only I. 危险性识别(Hazards identification): 第 9 类杂项危险物质/ class or division is 9。 2. 按照《国际海运危险货物规则》办理类项(Suggestion according to IMDG CODE) 按危险货物条件办理。According to the conditions of Dangerous cargo handled. 运输专用名称: 锂离子电池。 Proper shipping name: Lithium ion batteries. UN NO.: 3480. 危险类别: 第 9 类 Class or division: 9 包装类别: II UN Packing group: II 3. 包装要求(Packaging requirements): 根据包装导则 P903 办理。 The goods are packaged according to the packaging instruction P903 位现专用章 检查目期(Inspection date): 2022-01-06~2022-01-11	包装件信息 Package Information	.0	133 XXUKO	11 / 3 / mm(w 132	07.2mm(H)*71.7mm(7
Lithium ion batteries 1. 危险性识别(Hazards identification): 第 9 类杂项危险物质/ class or division is 9。 2. 按照《国际海运危险货物规则》办理类项(Suggestion according to IMDG CODE) 按危险货物条件办理。According to the conditions of Dangerous cargo handled. 运输专用名称: 锂离子电池。 Proper shipping name: Lithium ion batteries. UN NO.: 3480. 危险类别: 第 9 类 Class or division: 9 包装类别: II UN Packing group: II 3. 包装要求(Packaging requirements): 根据包装导则 P903 办理。 The goods are packaged according to the packaging instruction P903. 检查日期(Inspection date): 2022-01-06~2022-01-11		Туре			Placement
2. 接照《国际海运危险货物规则》办理类项(Suggestion according to IMDG CODE) 按危险货物条件办理。According to the conditions of Dangerous cargo handled. 运输专用名称: 锂离子电池。 Proper shipping name: Lithium ion batteries. UN NO.: 3480. 危险类别: 第 9 类 Class or division: 9 包装类别: II UN Packing group: II 3. 包装要求(Packaging requirements): 根据包装导则 P903 办理。 The goods are packaged according to the packaging instruction P903. 检查日期(Inspection date): 2022-01-06~2022-01-11	Battery Information 1	Lithium ion batteries	20	X	Battery only
	Identification	2. 按照《国际海运危》 按危险货物条件办理 运输专用名称:锂。 Proper shipping nam UN NO.: 3480. 危险类别:第9类 包装类别:II 3. 包装要求(Packaging 根据包装导则 P903 The goods are package)	验货物规则》办理类项理。According to the co 离子电池。 e: Lithium ion batteries Class or div UN Packing g requirements); 办理。 ged according to the pa	(Suggestion according to conditions of Dangerous canditions of Dangerous candition : 9 group : II ckaging instruction P903	MDG CODE) argo handled.

Approver: 72 636

Checker:

Appraiser:

限风险

果仅对预定工作、检验项目或检验批次负责。The results in this report are relevant only to the work ordered or the item(s) or the lot inspected.

未经签发机构书面同意,不得部分引述或复制本报告。Without written permission of IQTC ,this report shall not be quoted or reproduced except in full. 本报告数据、结果仅限定为委托方内部使用,不具有对社会证明作用。The report is not legally binding and could only be used as internal reference material for the applicant. It shall not be provided as a notarial certification.





of 6

01112200000088-1(E) No: 地址:中国广东省广州市天河区珠江新城花城大道66号B座 邮编Postcode: 510623

Add.: Tower B, No.66 Huacheng Avenue, Zhujiang Xincheng, Tianhe District, Guangzhou, Guangdong, P.R.C. 邮箱Email: ppdc@iqtcnet.cn 网址Website: https://www.iqtcnet.cn

Date: 2022-01-11

Page:


货物运输条件鉴定书

Certification for Safe Transport of Goods

图片/Photo

包装正面外观

Front appearance of Packaging



包装侧面外观



内包装(防止短路,防移位保护措施)

Inner packagings (protection against short circuit and displacement)



UN号,包装等级,9A号标签 UN NO., packing group, 9A label



^{1.} 本报告结果仅对预定工作、检验项目或检验批决负责。The results in this report are relevant only to the work ordered or the item(s) or the lot inspected.

本报告3. 不得部分引述或复制本报告 未经签发机构书面同意,不得部分引述或复制本报告 本报告数据、结果仅限定为委托方内部使用,不具有

本报告。Without written permission of IQTC ,this report shall not be quoted or reproduced except in full. 不具有对社会证明作用。The report is not legally binding and could only be used as internal reference material for the applicant. It shall not be provided as a notarial certification.





01112200000088-1(E) 地址:中国广东省广州市天河区珠江新城花城大道66号B座 No: 邮编Postcode: 510623

Add.: Tower B, No.66 Huacheng Avenue, Zhujiang Xincheng, Tianhe District, Guangzhou, Guangdong, P.R.C. 邮箱Email: ppdc@iqtcnet.cn 网址Website: https://www.iqtcnet.cn

Date: 2022-01-11 Page: of 6

货物运输条件鉴定书

Certification for Safe Transport of Goods 图片/Photo



电池侧面外观 Battery side appearance





结果仅对预定工作、检验项目或检验批次负责。The results in this report are relevant only to the work ordered or the item(s) or the lot inspected.

未经签发机构书面同意,不得部分引述或复制本报告。Without written permission of IQTC ,this report shall not be quoted or reproduced except in full. 本报告数据、结果仅限定为委托方内部使用,不具有对社会证明作用。The report is not legally binding and could only be used as internal reference material for the applicant.

It shall not be provided as a notarial certification.





地址:中国广东省广州市天河区珠江新城花城大道66号B座

邮编Postcode: 510623

01112200000088-1(E) No:

Add.: Tower B, No.66 Huacheng Avenue, Zhujiang Xincheng, Tianhe District, Guangzhou, Guangdong, P.R.C.

Date: 2022-01-11 of 6

货物运输条件鉴定书

Certification for Safe Transport of Goods

序号 No.	检查结果及其他事项 Inspection results and other things
CHONC,	本报告所述锂电池已通过联合国《试验和标准手册》第 III 部分 38.3 小节相应测试要求(证书编号: 01052100000116-1(E), UN38.3 试验概要: 01052100000116-2(E))。 Lithium cells and batteries listed in this report are of the types proven to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3(Test Report No. 01052100000116-1(E), UN38.3 test summary: 01052100000116-2(E)).
2	本报告所述锂电池按照《国际海运危险货物运输规则》2.9.4(5)规定的质量管理体系进行制造。 Lithium cells and batteries listed in this report were manufactured under the quality managemen programmer as described in IMDG CODE 2.9.4(5).
350135016	电池和电池组,除安装在设备上的之外,应使用内容器包装,将电池和电池组完全包裹。应保护电池和电池组防止发生短路。 Cells and batteries, except when installed in equipment, shall be packed in inner packagings that completely enclose the cell or battery. Cells and batteries shall be protected so as to prevent short circuits.
4	锂电池有适当的保护措施防止其在包装件内移位。 Cells and batteries are properly protected so as to secure against movement within the outer package.
5	每个包装件必须使用9类锂电池危险性标签(9A号)。 Each package must be labelled with the Class 9-Lithium Battery hazard label (No.9A).
6	2011年12月31日后生产的蓄电池须在外部标记瓦特-小时的额定值。 Batteries manufacture after 31 December 2011 must be marked with the Watt-hour rating on outside case.
 备注	适用于海运。

本报告。Without written permission of IQTC ,this report shall not be quoted or reproduced except in full. 不具有对社会证明作用。The report is not legally binding and could only be used as internal reference material for the applicant.





地址:中国广东省广州市天河区珠江新城花城大道66号B座

邮编Postcode: 510623

01112200000088-1(E) 2022-01-11

Add.: Tower B, No.66 Huacheng Avenue, Zhujiang Xincheng, Tianhe District, Guangzhou, Guangdong, P.R.C. Date:

of 6

Statement

1.本报告无检验单位公章无效。

The test report is invalid without the official stamp of IQTC.

2本报告无批准人、审核人及主检人签名无效。

The test report is invalid without the signatures of Approver, Checker and Appraiser.

3.本报告涂改无效。未经本实验室书面同意,不得部分地复制本报告。

The test report is invalid if altered. Nobody is allowed to photocopy or partly photocopy this report without written permission of IQTC.

4.客户必须如实提供样品及资料,并保证申报品名和样品以及运输货物相同,否则本检测单位不 承担任何相关责任。

The client should provide samples and relevant data, at the same time, they should guarantee the consistence of the product's name they declared, the samples they provided and the goods to be transported. Otherwise we will not bear any relevant responsibilities.

5.对检验报告若有异议,应于收到报告之日起十五天内向检验单位提出。

Objection to the test report must be submitted to IQTC within 15 days

6.本报告仅对送检样品负责。

The test report is valid for the tested samples only.

7. 检验地址:广东省广州市科学城南翔支路 1 号 C102 房 (汽车与装备检测研究所科学城)

Inspection Address: Room C102, No.1 Nanxiangzhi Road, Science City, Guangzhou, Guangdong, China (Institute of Automobile and Equipment Testing in Science City)

电话(Tel): 020-38669019-811

电子邮箱(E-mail): battery@iqtcnet.cn

报告结束 End of report *

发机构书面同意,不得部分引述或复制本报告。Without written permission of IQTC ,this report shall not be quoted or reproduced except in full. 数据、结果仅限定为委托方内部使用,不具有对社会证明作用。The report is not legally binding and could only be used as internal reference material for the applicant. shall not be provided as a notarial certification.